

HIV AND SRHR LINKAGES INFOGRAPHIC SNAPSHOT BANGLADESH 2016


What's this
all about?

This country snapshot provides an overview of national level data for the full scope of HIV and sexual & reproductive health and rights (SRHR) linkages/integration at three levels:¹

- enabling environment (policy and legal)
- health systems
- integrated service delivery

By highlighting results, areas that need strengthening, and data gaps, this snapshot can be used for determining priorities, programme planning, and resource mobilization.

▲ also p.10



Source: Adapted from WHO, UNFPA, UNAIDS, IPPF (2005) Sexual and reproductive health and HIV/AIDS: A framework for priority linkages. http://srhhivlinkages.org/wp-content/uploads/2013/04/frameworkforprioritylinkages_2005_en.pdf

*Maternal health is an SRH service, which is often clustered with newborn and child health services.

Linkages versus integration²


Linkages refer to bi-directional synergies in policy, systems, and services between SRH and HIV. It refers to a broader human rights-based approach, of which service integration is a subset.

Integration refers to the service delivery level and can be understood as joining operational programmes to ensure effective outcomes through many modalities (multi-tasked providers, referral, one-stop shop services under one roof, etc.).

Upholding human rights is intrinsic to the linkages agenda, in particular the human rights of people living with HIV, key populations, and women and girls.³

Linking HIV and SRHR responses is critical for reaching human rights, gender equality, and health targets for the sustainable development goals.

Theory of change for SRHR and HIV linkages



Source: Adapted from IPPF, UNFPA, WHO (2014) SRH and HIV Linkages Compendium: Indicators and Related Assessment Tools. Available at: <http://bit.ly/1KVaeT1>

* It is recognized that reducing stigma and discrimination and gender-based violence are also impact level measures and the outcome measures influence each other.



To find indicators and tools to measure progress

Visit <http://bit.ly/1KVaeT1>



To find out more about linkages/integration

Visit <http://srhhivlinkages.org>
- a collection of SRHR and HIV linkages resources.

Key HIV and SRHR intersections: Bangladesh data^{3a}

The intrinsic connections between HIV and SRHR are well-established, especially as HIV is predominantly sexually transmitted or associated with pregnancy, childbirth and breastfeeding.⁴

Population size 159.1 million^{4a} Life expectancy at birth 70.7^{4b} Fertility rate 2.2^{4c}

HIV is a leading cause of death in women of reproductive age (globally)⁵

New adult HIV infections⁶

<500 <1,000



Women



Men

HIV prevalence (ages 15-49)⁸

<0.1%

People living with HIV⁹

3,173

6,170

293



Women




Men



Children

People living with HIV receiving ART¹⁰



HIV testing in the general population¹¹



AIDS-related deaths among adults (ages 15+)⁷



<500



<1,000

HIV-associated maternal death contributes to maternal mortality¹²

Maternal mortality ratio¹³



176 per 100,000 live births

Maternal deaths attributed to HIV¹⁴



Gender-based violence is a cause and consequence of HIV¹⁵
▲ also p.5 & 7

Prevalence of recent intimate partner violence¹⁶



22.4%

HIV transmission to infants can occur during pregnancy, childbirth, and breastfeeding. This is more likely where there is acute maternal HIV infection.¹⁷

▲ also p.5

Mother-to-child HIV transmission rate (after breastfeeding)¹⁸



45.6%

Pregnant women who know their HIV status¹⁹



Demand for family planning satisfied with a modern method of contraception (15-49)²⁰



70.6%

Certain sexually transmitted infections (STIs) significantly increase the risk of acquiring and transmitting HIV²²
▲ also p.7

Number of adults reported with syphilis²³



Male and female condoms provide triple protection from unintended pregnancies, HIV, and other STIs

Condom use at last sex²⁴



32.7%


Demand for family planning satisfied with a modern method of contraception for women living with HIV (15-49)²¹



Enabling environment (policy and legal)

SRHR and HIV strategies and policies should be interconnected to increase service provision and uptake. Effective responses also must go beyond health services to address human rights and development.

Support to SRHR and HIV linkages:



Strategies and policies

Is there a national HIV strategy?²⁵



If yes, have the following SRHR components been included as a measurable target:^{25a}

Condoms (with reference to STI prevention / contraceptive method)?	Yes
Prevention / elimination of mother-to-child transmission of HIV?	Yes
SRHR of people living with HIV?	Mentioned
Sexually transmitted infections?	Yes
Gender based violence?	No

Is there a national SRHR strategy?²⁶



If yes, have the following HIV components been included as a measurable target:^{26a}

Condoms (with reference to HIV prevention)?	Yes
Prevention / elimination of mother to child transmission of HIV?	No
SRHR of people living with HIV?	No
Sexually transmitted infections?	Mentioned
HIV counselling and testing?	No

Is there a national SRHR and HIV integration policy or strategy?²⁷



Laws

▲ also p.5

▲ also p.9

▲ also p.7

People living with HIV

Are there laws that:^{27a}

criminalise HIV transmission or exposure? ²⁸	No	28a
impose HIV specific restrictions on entry, stay or residence? ²⁹	No	29a
address HIV-related discrimination and protect people living with HIV? ³⁰	No	30a

Key populations

Are there laws that:^{30b}

criminalise same-sex sexual activities? ³¹	Yes	31a
deem sex work as illegal? ³²	Yes	32a
mandate the death penalty for drug offences? ³³	Yes	33a
demand compulsory detention for people who use drugs? ³⁴	No	34a
recognise a third, neutral and non-specific gender besides male and female? ³⁵	Yes	35a

Gender-based violence

Are there laws that:

address gender-based violence? ³⁶	Yes	36a
penalise rape in marriage? ³⁷	DATA NOT AVAILABLE	37a
allow free entry into marriage and divorce? ³⁸	DATA NOT AVAILABLE	38a
allow the removal of violent spouses? ³⁹	DATA NOT AVAILABLE	39a

Other laws

▲ also p.8

Are there laws that:

make sexuality education mandatory? ⁶⁰	DATA NOT AVAILABLE
allow legal abortion? ⁶¹	Yes: to save a woman's life
prohibit female genital mutilation? ⁶²	No

Age of Consent

▲ also p.5 & 8



What is the minimum legal age for marriage without parental consent?⁴³

18 years
21 years



What is the legal age for HIV testing without parental consent?⁴⁴

No specified age



What is the legal age for accessing contraceptives?⁴⁵

Access depends on marital status



What is the legal age for consent to sexual intercourse?⁴⁶

14 years
Not specified

Stigma faced by people living with HIV

People living with HIV often face stigma and discrimination. A non-supportive environment can drive people living with HIV away from SRHR and HIV prevention, treatment, care and support services, hindering the AIDS response.

Percentage of general population reporting discriminatory attitudes to HIV⁴⁷



Has the Stigma Index been conducted?⁴⁸


2009⁴⁹

A sample of 238 people living with HIV [36% (n=86) were female and 64% (n=152) male]



Key findings from the Stigma Index

Denied sexual and reproductive health (SRH) services

DATA NOT AVAILABLE

Denied family planning services

DATA NOT AVAILABLE

Experienced forced or coerced sterilization by healthcare provider on the basis of HIV 41.9%

Ever counselled about reproductive options since being diagnosed HIV-positive 58.4% (139 out of 238)

Could access ART (among people yet to commence) 12.5% (1 of 8)

Had a constructive discussion on HIV treatment options 79.4% (189 out of 238)



Reported experience of stigma and discrimination that hinder access to HIV and SRH services 20%

Sought redress if rights violated 0.4%

Women's empowerment

Achieving gender equality and empowering women (Sustainable Development Goal 5) is essential in its own right and also affects health status. It is a broad agenda that includes: ending stigma and discrimination, violence, and harmful practices; ensuring autonomy in health decisions; and accessing SRHR and equal rights to economic resources.⁵⁰

Ability to participate in decisions regarding their own health^{50a}



DATA NOT AVAILABLE


63%

Women who believe wife is justified in refusing sex with husband^{50b}



92%

Gender-based violence



Intimate partner violence has been shown to increase the risk of HIV infection by around 50%. Violence, and the fear of violence, may deter women and girls from seeking HIV testing, disclosing HIV-positive status, and seeking other services for their HIV and SRHR needs.⁵¹ Visit <http://bit.ly/1PIpTip>

Prevalence of recent intimate partner violence⁵²



22.4%

Gender-based violence is a cause and consequence of HIV

Girls married before 18⁵³



Women who agree husband is justified in hitting or beating his wife:



for at least one specified reason^{53a}

33%

if she refuses sex with him^{53b}

8%

Intimate partner violence prevention programmes⁵⁴

In-school education on preventing dating violence

None

Microfinance and gender equity training

Limited

Changing social and cultural norms that support violence

Limited

Children and Social Protection

Orphanhood is frequently accompanied by prejudice and increased poverty, factors that can jeopardize children's chances of completing school education and may lead to increased vulnerability to HIV and poor SRHR outcomes. As such, economic support (with a focus on social assistance and livelihoods assistance) to poor and HIV-affected households remains a high priority in many comprehensive care and support programmes.⁵⁵


Children whose households received external support⁵⁶

DATA NOT AVAILABLE

AIDS deaths in adults occur just at the time in their lives when they are forming families and bringing up children.



Ratio of school attendance of orphans to non-orphans (aged 10–14 years)⁵⁷



Children who have lost one or both parents due to AIDS⁵⁸

600



Health systems

Integrating SRHR and HIV services requires addressing components of health systems.

These include coordination, joint partnerships, planning and budgeting, human

resources, procurement and supply chain management, and monitoring and evaluation.

Human resources

Doctors per
1,000⁵⁹



Nurses and
midwives per
1,000⁶⁰



Community and traditional
health workers per 1,000⁶¹



Training and supervision

Are there SRHR training materials and curricular that include HIV?⁶² Yes (partial)

Are there HIV training materials and curricula that include SRHR?⁶³ Yes (partial)

To what extent is supportive supervision for SRHR and HIV integrated at the health service-delivery level?⁶⁴ Partially integrated

Is there a tool for integrated supervision available?⁶⁵ No

Logistics and supplies

HIV and SRHR commodities

Are there integrated supply systems?⁶⁶ No

Are there integrated ordering systems?⁶⁷ No

Are there integrated monitoring systems?⁶⁸ No

Commodity stockouts



Contraceptives⁶⁹



Antiretrovirals for HIV⁷⁰

27.3%



STI drugs⁷¹




Coordination, planning and budgeting

Is there joint planning of HIV and SRHR programmes?⁷² No


Is there any collaboration between SRHR and HIV for programme management/implementation?⁷³ No

Health information systems⁷⁴

Health system statistical capacity



National surveys



Facility-based data
collection

SRHR and HIV service coverage

HIV testing and counselling facilities per
100,000 adult population⁷⁵




Primary level service delivery points offering
at least three modern methods of
contraception⁷⁶



Rapid Assessment of SRH and HIV linkages⁷⁷

Has the Rapid Assessment for Sexual and Reproductive Health and HIV
Linkages been conducted?⁷⁸



2009

A rapid assessment of SRH and
HIV linkages is a useful tool for
countries to assess existing bi-
directional linkages at the policy,
systems and service-delivery
levels.



Integrated service delivery

Providing integrated services enables clients to receive as many quality services as possible at the same time and in the same place, especially at the primary healthcare level. This can happen through government, civil society, and private providers.

Integrated service provision

Health facilities provide HIV services integrated with other health services

HIV counselling and testing with SRH⁷⁹

Few



EMTCT with antenatal care/maternal and child health⁸⁰

Few



Elimination of mother-to-child transmission of HIV (EMTCT)

Eliminating new HIV infections among children and keeping their mothers alive is based on a four-pronged strategy.⁸¹

Women living with HIV delivering⁸²



<200



New child HIV infections⁸³



<100



Indicators for elimination of mother-to-child transmission of HIV

Prong 1: new HIV infections among women 15-49 ⁸⁷	<500
Prong 2: unmet need for family planning for women of reproductive age ⁸⁸	12.8%
Prong 3: final mother-to-child HIV transmission rate ⁸⁹	45.6%
Prong 3: women receiving antiretrovirals (ARVs – excluding single dose nevirapine) to prevent new infections among children ⁹⁰	18%
Prong 3: women or infants receiving ARVs during breastfeeding ⁹¹	19%
Prong 4: ART coverage among children under 15 years ⁹²	26%

Demand for family planning satisfied with a modern method of contraception for women living with HIV (15-49)⁹⁵



Pregnant women attending an antenatal care clinic

at least once⁸⁴

at least 4 times⁸⁵



64%

31%



whose sexual partners were tested for HIV in the last 12 months⁸⁶



0%

Pregnant women who know their HIV status⁹³



0.27%

Skilled attendant at birth⁹⁴



42%


60.5%



Urban Rural

Dual elimination of mother-to-child transmission of HIV and syphilis

In 2007 WHO launched an initiative for the global elimination of congenital syphilis, outlined in the global elimination of congenital syphilis: rationale and strategy for action.⁹⁶ Initiatives are now ongoing for dual elimination of mother-to-child transmission of HIV and syphilis as an integrated process, including data validation.⁹⁷



Elimination of mother-to-child transmission of syphilis

Congenital syphilis rate (per 100,000 live births)⁹⁸

DATA NOT AVAILABLE

Antenatal care attendees tested for syphilis at first antenatal care visit⁹⁹

31.6%

Antenatal care attendees who test positive for syphilis¹⁰⁰

0.5%

Antenatal care attendees positive for syphilis who are treated appropriately¹⁰¹

100%

<http://bit.ly/1jCx7sf>


Focus on adolescents and youth

Young people need access to a range of SRHR and HIV information and services on a broad range of topics related to their physical, social, emotional, and sexual development.


Young people, including those living with HIV and from key populations, need access to comprehensive services and a supportive legal framework.

Sexual behaviour


Median age at first sex among young people aged 20-24¹⁰²




Adolescents aged 15-19 who had:




Unmet need for family planning, among young women aged 15-19¹⁰⁶




Young women aged 15-19 who have ever had a child¹⁰⁷



Recent births to mothers under 20 that were unplanned¹⁰⁸



Young women aged 15-19 able to participate in decisions about their healthcare^{108a}



Youth unemployment¹⁰⁹

9.1%



HIV


Estimated number of adolescents living with HIV aged 10-19¹¹⁰



Young people living with HIV aged 15-24¹¹¹



Adolescents aged 15-19 who were ever tested for HIV and received the results¹¹²



<100



New HIV infections among adolescents aged 15-19¹¹³

<100




AIDS deaths among adolescents aged 10-19¹¹⁴

Knowledge and comprehensive sexuality education

▲ also p.4

Young people aged 15-19 who have heard of family planning on any of the three sources (radio, TV or newspapers)¹¹⁵



Adolescents aged 15-19 who have comprehensive knowledge of HIV¹¹⁶



Schools that provided skills-based HIV and sexuality education in the previous academic year¹¹⁷



Focus on key populations

Key populations, including men who have sex with men, people who use drugs, sex workers

and transgender people typically have higher HIV prevalence than the general population.

The criminalization of key populations drives people away from health services, increasing

vulnerability to negative SRHR and HIV outcomes, as well as to stigma, discrimination, and violence.

Key populations are often not reached with health services, including for SRHR and HIV, and frequently experience violation of their human rights.

▲ also p.4



Men who have sex with men



People who inject drugs



Sex workers



Transgender people



Population size estimate



HIV prevalence



HIV testing



Condom use


	Men who have sex with men	People who inject drugs	Sex workers	Transgender people
Population size estimate	110,581 ¹¹⁸	23,800 ¹¹⁹	106,784 ¹²⁰	DATA NOT AVAILABLE
HIV prevalence	0.4% ¹²²	1.1% ¹²³	0.3% ¹²⁴	1% ¹²⁵
HIV testing	15.9% ¹²⁶	4.7% ¹²⁷	17.8% ¹²⁸	41.1% ¹²⁹
Condom use	49.6% ¹³⁰	44.8% ¹³¹	61.6% ¹³²	45.3% ¹³³

Useful programme implementation tools* and guidelines



World Health Organization (2013) *Implementing comprehensive HIV/STI programmes with sex workers: practical approaches from collaborative interventions.*

<http://bit.ly/1ISZWVz>



World Health Organization (2014) *Consolidated guidelines on HIV prevention, diagnosis, treatment and care for key populations.*

<http://bit.ly/1rhtlgZ>



UNFPA et al. (2015) *Implementing comprehensive HIV and STI programmes with men who have sex with men.*

<http://bit.ly/1LWYfQ6>

*Similar implementation tools for HIV/STI programming with other key populations are currently under development.

Additional regional and national data

This infographic snapshot builds on an overarching framework defining HIV and SRHR linkages/ integration and provides related national data. Specific aspects of HIV and SRHR linkages/ integration vary by region and country due to different types of HIV epidemics and structural drivers of HIV and SRHR. Therefore, a differentiated approach to investment and programming is required.



The suggested way forward

1. **Disseminate the snapshot broadly** to key decision-makers in the government (e.g. Ministry of Health and National AIDS Commission), programme managers, donors, UN agencies, civil society organisations and community-based organisations, and use for advocacy at key events.
2. **Review the data** presented in the snapshot with key HIV and SRHR stakeholders to identify and discuss areas where further work is particularly needed.
3. **Convene a technical working group** with HIV and SRHR stakeholders to jointly plan, coordinate activities and monitor progress on HIV and SRHR linkages/integration.
4. **Work with the Ministries of Justice, Education and Health, and other appropriate sectors** to eliminate human rights violations, such as gender-based violence, early and forced marriage and stigma and discrimination.
5. **Use the snapshot** when developing and evaluating strategies, operational plans and funding proposals.
6. **Collaborate with relevant data collection entities** to fill gaps where data are not available.

Endnotes

1. GNP+, ICW, IPPF, UNAIDS, UNFPA, WHO and Young Positives (2009). Rapid Assessment Tool for Sexual and Reproductive Health and HIV Linkages: a generic guide. <http://srhhivlinkages.org/rapidassessment-tool/>
2. WHO, UNAIDS, UNFPA, IPPF (2008). Gateways to integration: a case study series. <http://www.srhhivlinkages.org>
3. UNAIDS (2010) 26th Meeting of UNAIDS Programme Coordinating Board, Background Paper: Sexual and Reproductive Health (SRH) services with HIV interventions in practice, paragraph 4 (page 5). http://srhhivlinkages.org/wp-content/uploads/2013/04/26thpcbthematicbackground_2010_en.pdf
- 3a. Data used in the HIV and SRHR Linkages Infographic Snapshot is the most recent data available.
4. UNFPA, WHO, IPPF (2012). Connecting sexual and reproductive health and HIV: Navigating the work in progress. http://www.srhhivlinkages.org/wp-content/uploads/LAWG_SRHHIVlinkages_summary1.pdf
- 4a. 2014. World Bank. <http://data.worldbank.org/indicator/>
- 4b. 2014. World Bank. <http://data.worldbank.org/indicator/>
- 4c. 2014. World Bank. <http://data.worldbank.org/indicator/>
5. Women of reproductive age is women aged 15–49. <http://www.who.int/mediacentre/factsheets/fs310/en/>. Lozano R, Naghavi M, Foreman K, et al. (2012) Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859):2095–128.
6. 2014. UNAIDS 2014 estimates
7. 2014. UNAIDS 2014 estimates
8. 2014. UNAIDS 2014 estimates
9. 2015. UNAIDS estimates 2015
10. 2014. UNAIDS 2014 estimates
11. Indicator: Percentage of women and men aged 15–49 who received an HIV test in the past 12 months and know their results. UNAIDS GARPR
12. Lozano R, Naghavi M, Foreman K, et al. (2012). Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859):2095–128.; AU (2012) Status Report on Maternal, Newborn, and Child Health. (African Union); WHO UNICEF, UNFPA, WB (2012) Trends in Maternal Mortality 1990–2010 (Geneva, WHO).
13. 2015. WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division (2015). Trends in maternal mortality: 1990 to 2015: estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. Annex 7. Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births), number of maternal deaths, lifetime risk and percentage of AIDS-related indirect maternal deaths, 2015. <http://www.who.int/reproductivehealth/publications/monitoring/maternal-mortality-2015/en/>
14. Indicator: Percentage of AIDS-related indirect maternal deaths. WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division (2015). Trends in maternal mortality: 1990 to 2015: estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. <http://www.who.int/reproductivehealth/publications/monitoring/maternal-mortality-2015/en/>
15. UN Commission on Status of Women (2013). Agreed conclusions on the elimination and prevention of all forms of violence against women and girls. New York, UN CSW.
16. 2013. UNAIDS GARPR
17. <http://www.aidsinfo.nih.gov/guidelines/html/3/perinatalguidelines/162>.
18. 2014. UNAIDS 2014 estimates
19. Country Progress Report: Bangladesh. Submission date: May 2, 2014. http://www.unaids.org/sites/default/files/en/dataanalysis/knowyourresponse/countryprogressreports/2014countries/BGD_narrative_report_2014.pdf
20. 2014. United Nations, Department of Economic and Social Affairs, Population Division (2014). Model-based Estimates and Projections of Family Planning Indicators 2014. New York: United Nations. http://www.un.org/en/development/desa/population/publications/dataset/contraception/data/Table_Model-based_estimates_Countries_Run20140520.xls
21. Indicator: Percentage of total demand for family planning among married or in-union women living with HIV aged 15 to 49 that is satisfied with modern methods (modern contraceptive prevalence divided by total demand for family planning)
22. WHO (2007). Global Strategy for the Prevention and control of sexually transmitted infections 2006–2015, Breaking the Chain of Transmission. Geneva, WHO.
23. Indicator: Number of adults reported with syphilis in the past 12 months. WHO Universal Access Indicator 1.17.6
24. 2014. UNAIDS GARPR
25. 2011–2015. Government of the People's Republic of Bangladesh. National AIDS/STD Programme (NASP) Directorate General of Health Services Ministry of Health and Family Welfare. Third National Strategic Plan for HIV/AIDS 2011–2015 http://www.ilo.org/wcmsp5/groups/public/---ed_protect/---protrav/---ilo_aids/documents/legaldocument/wcms_172778.pdf
- 25a. 2015. IPPF and UNFPA coding (2015)
26. 2011. Strategic Plan for Health, Population & Nutrition Sector Development Program (HPNSDP) 2011–2016. Ministry of Health and Family Welfare, Government of the People's Republic of Bangladesh
- 26a. 2015. IPPF and UNFPA coding (2015)
27. There is no current national SRH and HIV integration policy or strategy
28. 2015. GNP+ Global Criminalisation Scan: <http://criminalisation.gnpplus.net/alphabetical>
- 28a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p25. <http://www.hivlawcommission.org/index.php/report>; Ending overly broad criminalization of HIV non-disclosure, exposure and transmission: Critical scientific, medical and legal considerations. Guidance Note. http://www.unaids.org/sites/default/files/media_asset/20130530_Guidance_Ending_Criminalisation_0.pdf
29. 2012. Quick Reference Guide Entry and residence regulations for people living with HIV (2013–2013), Deutsche AIDS-Hilfe. http://www.hivtravel.org/Web/WebContent/EATG/File/Quick%20Ref/2012_2013_DAH_Quick_Reference_Guide_EN.pdf
- 29a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p10 and p61. <http://www.hivlawcommission.org/index.php/report>
30. 2015. GNP+ Global Criminalisation Scan: <http://criminalisation.gnpplus.net/alphabetical>
- 30a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p50. <http://www.hivlawcommission.org/index.php/report>; The Lancet (2012). HIV in Men Who Have Sex with Men. <http://www.thelancet.com/series/hivin-men-who-have-sex-with-men>
31. 2015. Source: The Lesbian, Gay and Bisexual Map of World Laws, ILGA – available from http://old.ilga.org/Statehomophobia/ILGA_WorldMap_2015_ENG.pdf
- 31a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p50. <http://bit.ly/2db3xqs>. The Lancet (2012). HIV in Men Who Have Sex with Men. <http://www.thelancet.com/series/hivin-men-who-have-sex-with-men>
32. 2014. UNAIDS GARPR
- 32a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p43. <http://www.hivlawcommission.org/index.php/report>; UNAIDS (2012). UNAIDS Guidance Note on HIV and Sex Work. 2012 Update. http://www.unaids.org/sites/default/files/media_asset/JC2306_UNAIDS-guidance-note-HIV-sex-work_en_0.pdf; The Lancet (2014). HIV and sex workers. <http://www.thelancet.com/series/hiv-and-sex-workers>
33. 2015. The Death Penalty for Drug Offences: Global Overview 2015, International Harm Reduction Association http://www.ihra.net/files/2015/10/07/DeathPenaltyDrugs_Report_2015.pdf
- 33a. 6(2); ECOSOC (25 May 1984) Implementation of the safeguards guaranteeing protection of the rights of those facing the death penalty, Resolution 1984/50; United Nations Information Centre. INCB encourages States to consider the abolition of the death penalty for drug-related offences, 5 March 2014. http://www.incb.org/documents/Publications/PressRelease/PR2014/press_release_050314.pdf
34. 2014. NASP, MOHFW, UNDP and UNAIDS (2013). National consultation on punitive laws hindering the AIDS Response in Bangladesh. May 2013, Dhaka, Bangladesh. <http://www.unescap.org/sites/default/files/SDD-EGM-HIV-Law-Bangladesh-National-Consultation-on-Punitive-Laws-Hindering-the-AIDS-Response.PDF>
- 34a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p10 and p35. <http://bit.ly/2db3xqs>. United Nations. 2012. Joint statement on compulsory drug detention and rehabilitation centres. http://www.unaids.org/sites/default/files/en/media/unaids/contentassets/documents/document/2012/JC2310_Joint%20Statement6March12FINAL_en.pdf

35. 2014. Bangladesh Gazette 2014
- 35a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p10, p50 and p54. <http://bit.ly/2db3xqs>
36. 2013. Over the past two decades, numerous laws, including amendments to existing laws, have been enacted to address various manifestations of violence against women. Special Rapporteur on Violence against women, its causes and consequences finalises country mission to Bangladesh DHAKA (29 May 2013). <http://www.ohchr.org/EN/NewsEvents/Pages/DisplayNews.aspx?NewsID=13374&>
- 36a. Convention on the Elimination of Discrimination against Women. General Recommendation No. 19 (11th session, 1992). Violence against women, paras 1, 7 and 24(b). <http://bit.ly/2dGkvxS>
37. Indicator: Are there Laws Against Rape in Marriage? WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
- 37a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p69. <http://www.hivlawcommission.org/index.php/report>
38. Indicator: Are there laws that allow free entry into marriage and divorce? WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
- 38a. Convention on the Elimination of Discrimination against Women. General Recommendation No. 21 (13th session, 1994). Equality in marriage and family relations. <http://bit.ly/2dGkvxS>
39. Indicator: Are there laws that allow the removal of violent spouses? WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
- 39a. Convention on the Elimination of Discrimination against Women. General Recommendation No. 19 (11th session, 1992) Violence against women, paras 23 and 24(b). <http://bit.ly/2dGkvxS>
40. Indicator: Is there a law or policy mandating the government (or its regulatory bodies) to implement sexuality education?
41. 2015. United Nations, World Population Policies Database. http://esa.un.org/poppolicy/about_database.aspx
42. 2012. WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
43. 2004. United Nations Statistics Division. Gender Statistics. Qualitative Indicators related to national norms. 11 Legal minimum age at marriage, by sex. <http://unstats.un.org/unsd/gender/Data/Qualitative%20Indicators.html>
44. 2013. UNESCO, UNFPA; UNAIDS; UNDP and Youth LEAD (2013). Young people and the law in Asia and the Pacific: A review of laws and policies affecting young people's access to sexual and reproductive health and HIV services. <http://bit.ly/2dOkv38>
45. 2013. SRH service delivery systems generally do not cater to the needs of unmarried adolescents, and public facilities only provide contraceptives to married couples. UNESCO, UNFPA; UNAIDS; UNDP and Youth LEAD (2013). Young people and the law in Asia and the Pacific: A review of laws and policies affecting young people's access to sexual and reproductive health and HIV services. <http://bit.ly/2dOkv38>
46. 2013. UNESCO, UNFPA; UNAIDS; UNDP and Youth LEAD (2013). Young people and the law in Asia and the Pacific: A review of laws and policies affecting young people's access to sexual and reproductive health and HIV services. <http://bit.ly/2dOkv38>
47. Indicator: Percentage of women and men aged 15–49 who report discriminatory attitudes towards people living with HIV. UNAIDS GARPR
48. People Living with HIV Stigma Index. IPPF, GNP+, ICW, UNAIDS, 2008. <http://www.stigmaindex.org/>
49. 2009. Draft report: People living with HIV Stigma Index study: Bangladesh <http://bit.ly/2cUBNub>
50. UN (2015) Sustainable Development Goals. <https://sustainabledevelopment.un.org/?menu=1300>
- 50a. 2011. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International (2013). Bangladesh Demographic and Health Survey 2011. <http://dhsprogram.com/pubs/pdf/fr265/fr265.pdf>
- 50b. 2011. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International (2013). Bangladesh Demographic and Health Survey 2011. <http://dhsprogram.com/pubs/pdf/fr265/fr265.pdf>
51. WHO and UNAIDS (2013) 16 ideas for addressing violence against women in the context of HIV epidemic: a programming tool. http://apps.who.int/iris/bitstream/10665/95156/1/9789241506533_eng.pdf
52. 2007. Demographic and Health Survey (DHS) 2007 reported GARPR 2013. Proportion of ever-married or partnered women aged 15–49 who experienced physical or sexual violence from a male intimate partner in the past 12 months.
53. 2002-2012. UNICEF State of The World's Children 2015. Country Statistical Information. Table 9: Child protection. http://www.unicef.org/statistics/index_countrystats.html
- 53a. 2011. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International (2013). Bangladesh Demographic and Health Survey 2011. <http://dhsprogram.com/pubs/pdf/fr265/fr265.pdf>
- 53b. 2011. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International (2013). Bangladesh Demographic and Health Survey 2011. <http://dhsprogram.com/pubs/pdf/fr265/fr265.pdf>
54. 2014. WHO (2014) Global Status Report on Violence Prevention http://www.who.int/violence_injury_prevention/violence/status_report/2014/en/
55. UNAIDS (2014). Global AIDS response progress reporting 2014: construction of core indicators for monitoring the 2011 UN political declaration on HIV/AIDS.
56. Indicator: % of children whose households received external support, 2010-2014. UNICEF Statistical Update 2015. Table 6: Protection, care and support for children affected by HIV and AIDS in low- and middle-income countries: Percentage of children whose households received external support. <http://data.unicef.org/hiv-aids/care-support.html>
57. 2010-2014. Based on DHS, MICS and other national surveys. Available from <http://www.childrenandaids.org/>
58. 2015. UNAIDS estimates 2015
59. 2013. WHO Global Health Observatory Data Repository. Density per 1000 Data by country <http://apps.who.int/gho/data/node.main.A1444>
60. 2013. WHO Global Health Observatory Data Repository. Density per 1000 Data by country <http://apps.who.int/gho/data/node.main.A1444>
61. 2013. WHO Global Health Observatory Data Repository. Density per 1000 Data by country <http://apps.who.int/gho/data/node.main.A1444>
62. STI training materials. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
63. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
64. Integrated where needed. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
65. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
66. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
67. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
68. Correspondence with UNFPA Country Office, Bangladesh, January 2016.
69. Indicator: Percentage of facilities stocked-out of contraceptives
70. 2014. Indicator: Percentage of health facilities dispensing ARVs that experienced stock-out of at least one required ARV in the last 12 months. WHO Universal Access
71. Indicator: Proportion of primary healthcare public sector facilities that reported having any one of five drugs considered essential for STI management out of stock during the month of the survey (metronidazole, ciprofloxacin, erythromycin, doxycycline, benzathine-penicillin)
72. 2009. IPPF, UNAIDS, UNFPA, WHO (2012). Rapid assessment of sexual and reproductive health and HIV linkages: Bangladesh <http://srhhivlinkages.org/rapid-assessment-tool/>
73. 2009. IPPF, UNAIDS, UNFPA, WHO (2012). Rapid assessment of sexual and reproductive health and HIV linkages: Bangladesh <http://srhhivlinkages.org/rapid-assessment-tool/>
74. World Bank, WDI. Statistical Capacity Index <http://databank.worldbank.org/data/reports.aspx?source=Statistical-capacity-indicators#>
75. 2014. WHO Global Health Observatory Data Repository. Testing and counselling facilities, data by country <http://apps.who.int/gho/data/node.main.625TC?lang=en>
76. Indicator: Primary level service delivery points offering at least three modern methods of contraception
77. GNP+, ICW, IPPF, UNAIDS, UNFPA, WHO and Young Positives (2009). Rapid Assessment Tool for Sexual and Reproductive Health and HIV Linkages: a generic guide. <http://srhhivlinkages.org/rapidassessment-tool/>
78. 2012. IPPF, UNAIDS, UNFPA, WHO (2012). Rapid assessment of sexual and reproductive health and HIV linkages: Bangladesh <http://srhhivlinkages.org/rapid-assessment-tool/>
79. 2014. National Commitments and Policy Instrument, GARPR
80. 2014. National Commitments and Policy Instrument, GARPR

81. UNAIDS (2011). Countdown to zero. Global plan for the elimination of new HIV infections among children by 2015 and keeping their mothers alive. http://www.unaids.org/en/media/unaids/contentassets/documents/unaidspublication/2011/20110609_JC2137_Global-Plan-Elimination-HIV-Children_en.pdf
82. 2014. UNAIDS 2014 estimates. Available from <http://www.childrenandaids.org/>
83. 2014. UNAIDS 2014 estimates. Available from <http://www.childrenandaids.org/>
84. 2014. Bangladesh Demographic and Health Survey 2014 – from UNICEF 2015 – <http://data.unicef.org/maternal-health/antenatal-care.html> - Antenatal care coverage - at least one visit with skilled health personnel.
85. 2014. Bangladesh Demographic and Health Survey 2014 – from UNICEF 2015 – <http://data.unicef.org/maternal-health/antenatal-care.html> - Antenatal care coverage - at least four visits.
86. 2014. UNAIDS GARPR
87. 2014. UNAIDS 2014 estimates. Available from <http://www.childrenandaids.org/>
88. 2014. United Nations, Department of Economic and Social Affairs, Population Division (2014). Model-based Estimates and Projections of Family Planning Indicators 2014. New York: United Nations. http://www.un.org/en/development/desa/population/publications/dataset/contraception/data/Table_Model-based_estimates_Countries_Run20140520.xls
89. 2014. UNAIDS 2014 estimates
90. 2014. UNAIDS 2014 estimates
91. 2014. UNAIDS 2014 estimates
92. 2014. UNAIDS GARPR
93. 2014. UNAIDS GARPR
94. 2014. Bangladesh Demographic and Health Survey 2014 – from UNICEF 2015 – <http://data.unicef.org/maternal-health/delivery-care.html> - Skilled attendance at birth - Percentage
95. Indicator: Percentage of total demand for family planning among married or in-union women living with HIV aged 15 to 49 that is satisfied with modern methods (modern contraceptive prevalence divided by total demand for family planning)
96. WHO (2007). Global elimination of congenital syphilis: rationale and strategy for action. <http://www.who.int/reproductivehealth/publications/rtis/9789241595858/en>
97. WHO (2014). Global guidance on criteria and processes for validation: elimination of mother-to-child transmission (EMTCT) of HIV and syphilis. <http://www.who.int/reproductivehealth/publications/rtis/9789241505888/en>
98. Number of reported congenital syphilis cases (live births and stillbirth) in the past 12 months, WHO. http://apps.who.int/gho/indicatorregistry/App_Main/view_indicator.aspx?iid=4492
99. 2014. WHO Global Health Observatory data repository. Antenatal care (ANC) attendees tested for syphilis at first ANC visit. <http://apps.who.int/gho/data/view.main.23610>
100. 2014. UNAIDS GARPR
101. 2014. UNAIDS GARPR
102. 2011. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International (2013). Bangladesh Demographic and Health Survey 2011. Dhaka, Bangladesh and Calverton, Maryland, USA: NIPORT, Mitra and Associates, and ICF International. <http://dhsprogram.com/pubs/pdf/fr265/fr265.pdf>
103. Indicator: Percentage of adolescents (aged 15–19) who reported having sexual intercourse with more than one partner in the last 12 months. UNICEF global databases, 2014, based on DHS, MICS and other national surveys, 2006–2014. <http://www.childrenandaids.org/> Data refer to most recent year available
104. Indicator: Percentage of adolescents (aged 15–19) who reported having sexual intercourse with more than one partner in the last 12 months and who reported the use of a condom during their last sexual intercourse. UNICEF global databases, 2014, based on DHS, MICS and other national surveys, 2006–2014. <http://www.childrenandaids.org/> Data refer to most recent year available.
105. 2016. UNAIDS GARPR 2013. Correspondence with UNFPA country office Bangladesh, July 2016
106. 2014. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International. 2015. Bangladesh Demographic and Health Survey 2014: Key Indicators. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT, Mitra and Associates, and ICF International. <https://dhsprogram.com/pubs/pdf/PR56/PR56.pdf>
107. 2014. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International. 2015. Bangladesh Demographic and Health Survey 2014: Key Indicators. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT, Mitra and Associates, and ICF International.
108. 2011. Page 78 National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International (2013). Bangladesh Demographic and Health Survey 2011. Dhaka, Bangladesh and Calverton, Maryland, USA: NIPORT, Mitra and Associates, and ICF International. <http://dhsprogram.com/pubs/pdf/fr265/fr265.pdf>
- 108a. 2011. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International. 2015. Bangladesh Demographic and Health Survey 2014: Key Indicators. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT, Mitra and Associates, and ICF International. <https://dhsprogram.com/pubs/pdf/PR56/PR56.pdf>
109. 2014. Unemployment, youth total (percentage of total labour force ages 15–24) (modeled ILO estimate). <http://data.worldbank.org/indicator/SL.UEM.1524.ZS>
110. 2014. UNAIDS 2014 estimates
111. 2015. UNAIDS estimates 2015
112. Indicator: Percentage of adolescents (aged 15–19) who have been tested for HIV in the last 12 months and received the result of their most recent test. Female. UNICEF global databases, 2014, based on DHS, MICS and other national surveys, 2010–2014. <http://www.childrenandaids.org/> Data refer to most recent year available.
113. 2014. UNAIDS 2014 estimates
114. 2014. UNAIDS 2014 estimates
115. 2011. Combined data not available - Radio: 4.2%; TV: 26.1%; Newspapers: 2.2%. National Institute of Population Research and Training (NIPORT), Mitra and Associates, and ICF International. 2015. Bangladesh Demographic and Health Survey 2014: Key Indicators. Dhaka, Bangladesh, and Rockville, Maryland, USA: NIPORT, Mitra and Associates, and ICF International. <https://dhsprogram.com/pubs/pdf/PR56/PR56.pdf>
116. 2015. Percentage of young women and men aged 15-19 who correctly identify both ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission. UNAIDS 2015
117. Indicator: Percentage of schools that provided life skills-based HIV and sexuality education in the previous academic year.
118. 2014. UNAIDS GARPR
119. 2014. UNAIDS GARPR
120. 2014. UNAIDS GARPR
121. Indicator: Transgender people population size estimate
122. 2014. UNAIDS GARPR
123. 2013. UNAIDS GARPR
124. 2014. UNAIDS GARPR
125. 2014. UNAIDS GARPR
126. 2014. UNAIDS GARPR
127. 2013. UNAIDS GARPR
128. 2014. UNAIDS GARPR
129. 2014. UNAIDS GARPR
130. 2014. UNAIDS GARPR
131. 2013. UNAIDS GARPR
132. 2014. UNAIDS GARPR
133. 2014. UNAIDS GARPR

Inter-Agency Working Group on SRH and HIV Linkages

The Inter-agency Working Group on Sexual and Reproductive Health (SRH) and HIV Linkages is convened by UNFPA, WHO, and IPPF and works with more than 20 organizations to:

- advocate for political commitment to a linked SRH and HIV agenda;
- support national action to strengthen SRH and HIV linkages at the policy, systems, and service delivery levels; and
- create a shared understanding of SRH and HIV linkages by building the evidence base and sharing research, good practice, and lessons learnt.

Key achievements since 2004



To find out more

Visit <http://srhhivlinkages.org> - a collection of SRHR and HIV linkages resources. For a list of current members of the IAWG on SRH and HIV Linkages visit <http://bit.ly/1kzQDWB>

Disclaimer: All reasonable precautions have been taken by the publishers to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the IAWG on SRH and HIV Linkages or any organization whose logo appears on this document be liable for damages arising from use of this publication. This publication does not necessarily represent decisions the IAWG on SRH and HIV Linkages or any organization whose logo appears on this document.

